Journal of Applied Polymer Science

Subject Index to Volume 47

Accelerated weathering environments, 2103
Acid hydrolysis, 1003
Acid-degrading bacterium, 1123
Acrylic chelating fiber, 45
Additives, 1859
Adhesion, 223, 543, 1175, 1219, 2065
Adhesives, 1019
Adsorption, 2245
Aerobic biodegradation, 1709
Aging, 1905
Alginates, 1649
Alkaline extracts, 37
Amidoxime groups, 45
Anionic polymerization, 1589
Annealing, 789, 2053
Aqueous ring-opening metathesis polymerization, 1477
Aqueous solution(s), 93, 1295
Aromatic polyimides, 753
Assay systems, 1709
ATR FTIR spectroscopy, 1381, 1387
Avrami equation, 2111, 2149

Ballistic impact, 1129
Biaxial drawing, 1989
Binary polymeric mixture melts, 941
Binary systems, 1193
Bioadhesive peptide-immobilized surface design, 1983
Biodegradation, 1709
Biomaterials, 761
Biomedicine, 631
Biopolymer precursors, 1649
Bioreactor systems, 1329
Bleach effluent, 2125
Blend compatibilizer, 1411
Blending, 587
Blending conditions, 951
Blends, 105, 295, 331, 577, 587, 723, 951, 1083, 1155, 1469, 1581, 1781, 1839, 2117
Block copolymer soft segments, 1419
Block copolymers, 407
Blocked isocyanates, 1791
Blood compatibility, 761, 1601
Blood dialyzer membrane, 917
Branching distributions, 685
Brittle-to-ductile transition, 269
Bulk anionic copolymerization, 1721
Bulk polymerization, 513

Calibration, 1685
ϵ-Caprolactam, 1721
Catalyst activity, 1449
Catalyst systems, 607
Cation-exchange membranes, 1269
Cationic resins, 2217
CdS particles, 1773
Ceric ion initiation, 53
Chain transfer agent, 1411
Characterization, 199
Chelating fiber, 45
Chelation ion exchange properties, 367
Chemical copolymerization, 1801
Chemical warfare agents, 653
Chromatographic separation, 2245
Closed batch reactor, 513
^{13}C-NMR spectroscopy, 823
Coatings, 487, 1791, 2019, 2083, 2257
Coconut husk lignin, 37
Colloidal application(s), 521, 1295
Comonomer composition, 1533
Complex inclusions, 305
Composite membranes, 2125
Composites, 305, 839, 1065, 1349, 1731, 1925, 2073
Compounds, 2161
Conformations, 1303
Constant heating rate experiments, 847
Cope reactions, 1821
Copolyimides, 753
Copolymer-surfactant interactions, 1381
Crosslinking, 499, 917, 1973
Crosslinking, radiation-induced, 789
Cross-linking, 1343
Cross-linking agent, 2227
Cross-linking fluoroterpolymers, 223
Crystallinity, 13, 149
Crystallization, 395, 1551, 1749, 1781, 2111
Crystallization kinetics, 2149
Crystals, 937
Cure, 425, 447, 1481, 2037
Cure kinetics, 461
Cured resin systems, 1821
Curie transition, 1781
Curing, 533, 667, 1533, 1915, 2169
Curing behavior, 61

Damage zone, 245
Decrystallization, 73
Deformation, 1551
Degradation, 2257
Demixing, 895
Densimetry, 961
Determination, 1685
Dielectric relaxation time, 387
Dielectric studies, 1463
Diels-Alder adduct, 1477
Diels-Alder reaction, 2013
Differential refractometry, 1813

Differential scanning calorimeter (DSC), 1749
Differential scanning calorimetry (DSC), 461, 595, 2177
Differential scanning calorimetry (DSC) curves, 1897
Diffraction technique, 125
Diffusivity, 1933
Direct fixation, 25
Disintegration, 2103
Dispersing technology, 521
"Dual-mode" sorption, 1013
Ductile-brittle transition, 2195
Dynamic mechanical analysis (DMA), 1481

Elastomeric membranes, 2227
Elastomers, 199, 771, 1033, 2013
Electric fields, 113
Electrochemical polymerization, 2073
Electrochromism, 85
Electrocopolymerization, 93
Electrosynthesis, 1215
Emulsion, 1343
Entanglements, 1881
Enzymes, 1329
EPDM rubber, 2013
Epoxidation, 1255
Epoxy, 1401
Epoxy/anhydride matrix, 991
Epoxy composites, 487
Epoxy networks, 823
Epoxy novolacs, 1361, 1373
Epoxy resin(s), 533, 1349, 2093, 2207
Etch rates, 2135
Extended Flory–Huggins equation, 1193
Extracellular matrices (ECMs), 1983
Extruded sheets, 2053

Fabrics, 1129
Ferrocene derivatives, 323
Fiber formation, 857
Fiber–matrix adhesion, 883
Fibers, 707, 1129, 1427, 1731, 2065, 2079
Filler(s), 839, 941, 2149
Film adhesives, 1401
Film permeability, 1497
Film thickness, 1395
Films, 1, 1621, 1797, 1933, 1961, 1989, 2103, 2143
Fire-retardant additives, 1859
Flammability, 747, 1185
Flory-Huggins model, 565
Fluorinated rubber properties, 1127
Fluorination, 2207
Fluororesins, 2207
Fourier transform infrared (FTIR) analysis, 823
Fourier transform infrared (FTIR) quantitative analysis, 2217
Fourier transform infrared spectroscopy (FTIR), 461, 543
Fractionation, 1633, 2245
Fractions, 1839
Fracture toughness, 1867
Free radical initiator, 735
Free radicals, 1643
Free volume, 85
Functional groups, 1503
Furan, 1477
Fusion, 555

Gas, 1961
Gas chromatography (GC), 2257
Gas chromatography-mass spectrometry (GC-MS), 1741, 2257
Gas molecules, 7
Gas permeability, 1513
Gas separation, 1513
Gas sorption, 7, 13
Gases, 1033, 1933
Gel pathway, 1925
Gel permeation chromatography (GPC), 521, 805, 2005
Gelatin cross-linking, 1343
Gelation, 1361
Gelling conditions, 1439
Gels, 1925
Glass fibers, 487
Glass transition temperature, 595
Glassy polymers, 619
Glow-discharge-plasma-treated polyethylene surface, 1175
Glycidyl methacrylate (GMA)-modifiers, 61
Graft copolymerization, 1, 1765
Graft copolymers, 1411
Graft polymerization, 417, 833
Grafting, 53, 717, 981, 2013
Graphite fibers, 93
Guar gum, 717

Hansen three-dimensional parameters, 2161
Heat resistance, 1019
High molecular weight polymers, 877
High-density PE (HDPE), 1143
High-energy radiation, 2187
High-performance liquid chromatography (HPLC), 2005
High-pressure soxhlet extraction, 1633
High-speed melt spinning, 1551
High-T_g amine/epoxy thermosetting system, 447
High-T_g thermosetting amine/epoxy system, 425
Hildebrand total solubility parameters, 2161
Homogeneous systems, 1653
Humidities, 1905
Hydroaromatics, 925
Hydrogels, 53, 339, 1207
Hydrogen bonding, 1155
Hydrogen-ion concentration, 815
Hydrolytic stability, 199
Hydrosilation, 1309
Hysteresis method, 1867

Immiscibility, 1469
Immiscible blends, 1581
Immobilization, 25
Immobilized enzyme systems, 1329
Induction time, 1665
Infrared (IR) absorption spectroscopy, 911
Infrared (IR) spectroscopy, 543, 735
Inhibitor concentration, 1395
Initiator, 1643

Injection molding(s), 125, 149, 189
Interdetector volume, 1701
Interfacial adhesion, 1115
Interfacial polycondensation, 1523
Interfacial polymerization technique, 645
Interpenetrating polymer networks (IPNs), 1089
Iodine doping, 2143
Iodine sorption, 373
Ion absorption, 2079
Ionic polymer gel, 113
Ionomerization, 2079
Ionomers, 1497, 1673
Irradiation, 1319, 2187
Isospecificity, 1449

J-integral methods, 1867
Jute, 73
Jute/polypropylene blended adhesive-bonded nonwoven, 747

α-keratin fibers, 1973
Keratins, 1973
Ketalization reaction, 1653
Ketones, 1653
Kinetic chain termination, 833
Kinetic parameters, 533, 847
Kinetics, 513, 555

Laser ablation, 1773
Laser interferometer, 2135
Latexes, 1381, 1387
Linear low-density polyethylene(s) (LLDPE), 211, 1143
Linear polythioesters, 1523
Liquid chromatrography, 1243
Liquid dicyanate ester monomer, 461
Liquid–liquid equilibria, 1193
Liquid–liquid separation, 1621
Localized energy dissipation processes, 2195

Macroactivators, 1721
Macromolecular complexes (MC), 815
Macromolecular entanglement, 1881
Macromonomeric initiators (macroinimers), 1097
Maleimides, 1915
Mark–Houwink constants, 1685
Melt blending, 105
Melt flow, 1859
Melt rheology, 167
Melt state dynamic mechanical measurements, 2169
Melt viscosity, 387
Membranes, 1513, 1621
Metal vulcanization activator, 743
Metathesis, 289
Microbeam x-ray, 125
Microbond technique, 883
Microcapsules, 645
Microemulsions, 499
Microgels, 1243
Microlayer composites, 245, 269
Microstructure, 305
Miscibility, 1469
Miscible blends, 1581
Moisture, 1905
Molar mass distribution, 805
Molecular orientation, 13
Monomer(s), 417, 499, 607, 697, 735
Monosubstitution, 1503
Morphology, 167, 295

Native/commercial gutta-percha samples, 1905
Natural rubber (NR), deterioration, 925
Neck-like deformation process, 1551
Network formation, 1373
Neutralization, 1673
Nonaqueous coating films, 2083
Nonburning (nonflammable) fibers, 707
Nonfreezing water, 1419
Nonionic cross-linker, 2217
Nonlinear optical (NLO) properties, 1797
Nuclear magnetic resonance (^{19}F NMR), 735
Nylon-6, 1801

Oligomers, 387, 805
On-line conversion monitoring, 961
Organic compounds, 1123
Orientation distribution, 1989
Orientation gradients, 149
Overall reaction mechanism, 377
Oxidation, 1643, 1649, 1741
Oxidative decomposition, 877
Oxidative degradation, 1821
Oxygen index, 2117

Permanently Electrostatic Dissipative (ESD) Property, 587
Permeability, 1933, 1961
Permeation, 1033
Permeation behavior, 917
Pervaporation, 1849, 2227
Phase behavior, 723, 1469
Phase diagrams, 565
Phase separation, 723, 1673, 2037
Phase transitions, 555
Phenolic resins, 797
Photoaging, 211
Photochemical grafting, 1075
Photodegradation, 1027, 1319, 1897
Photoinitiator, 1665
Photopolymerization, 1665
Physical aging behavior, 447
PI/Cu interface, 1057
Piezoelectricity, 1781
Plasma polymerization, 1601
Plasma treatment, 2065, 2093
Plastic films, 2103
Platelet adhesion, 1601
Platinum catalyzed hydrosilylation process, 697
Polyamide-6, 1185
Polyblending, 1801
Polycondensation, 1523
Polymer crystallization kinetics, 395
Polymer modification, 407
Polymer-solvent interaction parameters, 653
Polypeptides, 1303
Polyurethane-based materials (PUPA), 631
Positron annihilation, 85

Potassium persulfate/ascorbic acid redox initiating system, 717
Precrack hysteresis energy, 2195
Precrack plastic zone, 2195
Preparative temperature-rising elution fractionation (PTREF) technique, 1839
PRF wood adhesives, 351
Processability, 199
Processing conditions, 125
Propellant formulations, 1791
Proteins, 1973
Purification, 1633

Radiation grafting, 1269
Radiation initiated grafting, 361
Radiation-induced grafting, 1427
Radiation-induced structural changes, 21
Rare earth oxides, 2111
γ-ray irradiation, 1849
Reaction engineering, 1589
Reaction injection molding (RIM), 289
Reaction kinetics, 1361
Reaction mechanism, 513
Reactive ion-etching (RIE), 2135
Reactivity ratios, 1463
Reactor systems, 1589
Reactors, 1047
Real-time small-angle light scattering (RTSALS), 395
Release coatings, 2257
Renewable resources, 1089
Replication technique, 1621
Resins, 367, 1315, 1439, 1481, 1533, 1821, 1915, 2005, 2037
Resol varnish, 797
Resolution correction, 1701
Reversible redox system, 833
RF plasma treatment, 883
Ring-opening metathesis polymerization (ROMP), 607

Saturation water uptake, 1419
Secondary high molecular weight guayule rubber, 1255
Sedimentation, 1999
Sheath/core composite fibers, 1115
Side-chain liquid crystalline (LC) polysiloxanes, 781
Silicone acrylates, 1309
Silicone lattices, 667
Simultaneous interpenetrating polymer networks (SINs), 1439
^{29}Si NMR spectroscopy, 667
Sisal fibers, 1731
Size exclusion chromatography–differential viscometer (SEC–DV) systems, 1685, 1701
Solubility, 895, 2161
Solubility coefficients, 1127
Solution-bond method, 185
Solvent, 565
Sorption, 653, 677, 771, 1395
Spacers, 25
Spinning, 857
Stabilization process, 707
Stabilizers, 555
Starch, 1765
Starch graft copolymers, 1003
Starch-*g*-polyacrylamide composites, 1165
Statistical chemical heterogeneity, 2245
Stereo-isomers, 937
Steric restrictions, 1155
Steric stabilizer, 1999
Strain-induced crystallization, 1749
Stress, 619
Stress–relaxation, 345
Structural adhesive bonding, 1401
Structural change, 373
Structure–property correlations, 2019
Structure–property relations, 753
Sulfur vulcanization, 377, 743
Sulfur-free lignins, 1065
Supercritical binary fluid mixtures, 895
Surface analysis, 761
Surface graft polymerization, 417
Surface modification, 577, 1075, 2065, 2093, 2207
Surface oxidation, 2187
Surfactant exudation, 1387
Surfactants, 645
Swelling, 113, 217, 1813, 1881, 2079
Synthesis, 199, 323, 407
Synthetic resins, 1315

Taut tie molecules (TTMs), 789
Temperature rising elution fractionation (TREF), 685
Ternary systems, 565
Thermal analysis, 1083
Thermal behavior, 323, 1185
Thermal conductivities, 331
Thermal degradation, 911, 1897, 2117
Thermal oxidation, 1741
Thermal polymerization, 1395
Thermal properties, 61
Thermal stability, 867
Thermal studies, 1463
Thermally stimulated current (TSC), 2143
Thermodynamic modeling, 771
Thermogravimetric analysis (TGA), 847
Thermogravimetric behavior, 1233
Thermooxidative stability, 1821
Thermoplastic prepreg, 185
Thermoplastics, 771
Thermosetting system(s), 425, 447
Thermosetting/thermoplastic resin, 2169
Thermotropic copolyester(s), 857, 1233
Thermotropic side chain LC polymers, 697
Thin films, 1797
Third-harmonic generation, 1773
Third-order nonlinear optical effects, 1263
Three-component emulsion polymers, 1277
Torsional braid analysis, 461
Transmission electron microscopy (TEM), 1621
Transport, 1497

Ultrafiltration, 2125
Ultrahigh molecular weight polyethylene (UHMW-PE) fibers, 2093
Unidirectional glass-fiber composites, 991
Unified modeling technique, 1047
Unsaturated polyesters, 121
UV absorbers, 555
UV irradiation, 417

Vapor–liquid equilibria, 1193
Vat dyeing processes, 877
Viscoelastic materials, 345
Viscoelastic response, 595
Viscosity, 1581, 1813
Vitrification, 1361
Volatile compounds, 1741
Volatile formation, 867
Volatile organics, 2227
Volatiles, 867
Volume fraction, 1973
Vulcanization, 377, 743, 2177

Water transport, 1349
Water-borne enzymatic coating-based dry chemistries, 2083
Water-insoluble supports, 25
Wavelength sensitivity, 1027
Weathering, 1897
Wide-angle X-ray technique (WAXD), 937
Wood properties, 1097

XPS Studies, 21
X-ray diffraction, 781
X-ray diffraction analysis, 1105
X-ray photoelectron spectroscopy (XPS), 21

Young's modulus, 189

Journal of Applied Polymer Science

Author Index to Volume 47

Abd-Alla, M. A. See Hassan, R. M., 1649

Abd-Alla, M. M.

—; El-Zohry, M. F.; Aly, K. I.; Abd-El-Wahab, M. M. M.: Arylidene Polymers. XVIII. Synthesis and Thermal Behavior of Organometallic Arylidene Polyesters Containing Ferrocene Derivatives in the Main Chain, 323

Abd-El-Wahab, M. M. M. See Abd-Alla, M. M., 323

Abe, Y. See Kaji, K., 1427

Abuín, S. P.

—; Pellín, M. P.; Núñez, L.; Gándara, J. S.; Losada, P. P.: Kinetic Parameters in Non-Stoichiometric Epoxy-Resin/*m*-Xylylenediamine Reactions, 533

Agari, Y.

—; Ueda, A.; Nagai, S.: Thermal Conductivities of Blends of Polyethylene/SEBS Block Copolymer and Polystyrene/SEBS Block Copolymer, 331

Aharoni, S. M.

—; Martin, M. F.; O'Brien, K. P.: Novel Low Refractive Index Self-Cross-Linking Fluoroterpolymers with Very Low Surface Tension and Good Adhesion to Substrates, 223

Aly, K. I. See Abd-Alla, M. M., 323

An, J. H. See Kim, K. R., 305

Arai, K.

—; Hirata, T.; Nishimura, S.; Hirano, M.; Naito, S.: Cross-linking Structure of Keratin. IV. The Number of Cross-linkages in Low-Sulfur Components and the Volume Fraction of High-Sulfur Domains in Various α-Keratin Fibers, 1973

Aras, L. See Bdair, A., 1497

Armstrong, G. H. See Parker, A. A., 1999

Arnaud, R. See Tidjani, A., 211

Arvanitoyannis, I.

—; Blanshard, J. M. V.: Anionic Copolymers of Octanelactam with Laurolactam (Nylon 8/12 Copolymers). VII. Study of Diffusion and Permeation of Gases in Undrawn and Uniaxially Drawn (Conditioned at Different Relative Humidities) Polyamide Films, 1933

—; Kolokuris, I.; Robinson, C.; Blanshard, J. M. V.: Synergic Action of Aging and Moisture on Native and Different Grades of Commercial Gutta-Percha (*trans*-Polyisoprene), 1905

Asaduzzaman, A. K. M.

—; Rakshit, A. K.; Devi, S.: Solution Properties of Methyl Methacrylate–Acrylonitrile Copolymers, 1813

—; Raval, H.; Devi, S.: Studies on the Grafting of Methyl Methacrylate onto Polyacrylonitrile, 981

Asrar, J.: Reaction Injection Molding (RIM) System Based on Metathesis, 289

Atanassov, A. N. See Kostov, G. K., 361, 1269

Azhar, A.

—; Burke, A.; Dubois, J.; Usmani, A.: Nonaqueous Diagnostic Polymers and Coatings, 2083

Bae, Y. C.

—; Shim, J. J.; Soane, D. S.; Prausnitz, J. M.: Representation of Vapor–Liquid Equilibria and Liquid–Liquid Equilibria for Binary Systems Containing Polymers: Applicability of an Extended Flory–Huggins Equation, 1193

Baer, E. See Shin, E., 245, 269

Bag, S. C. See Samajpati, S., 747

Bagryansky, V. A. See Kuznetsov, A. Y., 1175

Bajpai, U. D. N.

—; Mishra, V.; Rai, S.: Grafting of Poly(Acrylonitrile) onto Guar Gum Using Potassium Persulfate/Ascorbic Acid Redox Initiating System, 717

Bakr, N. A.: Thermally Stimulated Current of Iodine-Doped Acrylonitrile-Butadiene-Styrene Thin Films, 2143

Balke, S. T. See Cheung, P., 1701

Balke, S. T. See Lew, R., 1685

Bantjes, A. See Chen, G., 25

Barbosa, R. V.

—; Soares, B. G.; Gomes, A. S.: Graft Copolymers from Modified Ethylene-Vinyl Acetate (EVA) Copolymer. I. Synthesis of Poly(ethylene-*co*-vinyl acetate-*g*-styrene) Using EVA Modified by Mercaptoacetic Acid as Chain Transfer Agent, 1411

Barbucci, R. See Cimmino, S., 631
Barsola, R. See Kaur, I., 1165
Bdair, A.
—; Aras, L.; Sanli, O.: Transport of Sodium Chloride, Urea, and Creatinine Through Membranes Derived From Methylmethacrylate-*co*-Methacrylic Acid and Its Ionomers, 1497
Beck, H. N.
—; Mah, R. W.; Sanders, E. S., Jr.: Relative Solubility of Tetrachlorohexafluorobisphenol-A Polycarbonate in Various Compounds, 2161
Bell, J. P. See Iroh, J. O., 93
Benev, D. See Stoeva, S., 1859
Berner, B. See Chu, C.-H., 1083
Bhadani, S. N.
—; Sen Gupta, S. K.; Gupta, M. K.; Prasad, J.: Electrosynthesis of Conducting Poly(*p*-phenylene), 1215
Bhaduri, S. K. See Reddy, S. S., 73
Bi, X.-T. See Xue, Z., 2073
Biro, D. A.
—; Pleizier, G.; Deslandes, Y.: Application of the Microbond Technique. IV. Improved Fiber–Matrix Adhesion by RF Plasma Treatment of Organic Fibers, 883
Blanshard, J. M. V. See Arvanitoyannis, I., 1905, 1933
Bohdanecký, M. See Petřík, S., 677
Bontoux, L. See Park, J. K., 771
Brahmakumar, M. See Joseph, K., 1731
Brandwood, A. See Gunatillake, P. A., 199
Bravo, A.
—; Hotchkiss, J. H.: Identification of Volatile Compounds Resulting from the Thermal Oxidation of Polyethylene, 1741
Breuer, H. See Haberkorn, H., 1551
Brougton, R. M. See Hall, D. M., 2079
Buchanan, C. M.
—; Gardner, R. M.; Komarek, R. J.: Aerobic Biodegradation of Cellulose Acetate, 1709
Burke, A. See Azhar, A., 2083
Burton, B. L.: The Thermooxidative Stability of Cured Epoxy Resins. I, 1821
Buschle-Diller, G.
—; Zeronian, S. H.: Photodegradation of Oxidized Cotton Cellulose, 1319
Butterfield, D. A. See Zhuang, P., 1329

Cakmak, M. See Hsiung, C. M., 125, 149
Canché-Escamilla, G. See Vázquez-Torres, H., 37; See Vera-Pacheco, M., 53
Canegallo, S.
—; Storti, G.; Morbidelli, M.; Carrà, S.: Densimetry for On-Line Conversion Monitoring in Emulsion Homo- and Copolymerization, 961
Carnes, J. R. See Fitch, M. W., 1033
Carrà, S. See Canegallo, S., 961
Cassem, A.
—; McGill, W. J.: A Comparison of the Tetramethylthiuram Disulphide Accelerated Sulfur Vulcanization of Polybutadiene and Polyisoprene, 377
Cha, W.-I.
—; Hyon, S.-H.; Graiver, D.; Ikada, Y.: Sticky Poly(vinyl Alcohol) Hydrogels, 339
Chabert, B. See Romero, M. A., 543
Chang, C. C.
—; Halasa, A. F.; Miller, J. W., Jr.: The Reaction Engineering of the Anionic Polymerization of Isoprene, 1589
Chang, F.-C.
—; Hsu, H.-C.: Precrack Hysteresis Energy of Elastomer-Modified Polycarbonates in Determining Its Ductile-Brittle Transition, 2195
Chang, F.-C. See Lee, C.-B., 1867
Chao, D. Y.: The Role of Surfactants in Synthesizing Polyurea Microcapsule, 645
Charlesworth, J. M.
—; Riddell, S. Z.; Mathews, R. J.: Determination of Polymer-Solvent Interaction Parameters Using Piezoelectric Crystals, with Reference to the Sorption of Chemical Warfare Agents, 653
Chatelier, R. C. See Gunatillake, P. A., 199
Chen, C.-J. See Huang, Y.-J., 1533
Chen, C.-Y. See Jeng, G.-P. C., 697, 781
Chen, G.
—; van der Does, L.; Bantjes, A.: Investigations on Vinylene Carbonate. V. Immobilization of Alkaline Phosphatase onto LDPE Films Cografted with Vinylene Carbonate and *N*-Vinyl-*N*-methylacetamide, 25
Chen, J.-Y. See Shinn, T.-H., 1233
Chen, K.-M. See Wang, T.-H., 1057
Chen, R.-Y. See Lai, J.-Y., 1849
Chen, S.-A. See Chen, Y., 1721
Chen, S.-H. See Lai, J.-Y., 1513
Chen, Y.
—; Chen, S.-A.: Bulk Anionic Copolymerization of ϵ-Caprolactam in the Presence of Macroactivators Derived

from Polypropylene Glycol, 1721
—; Jung, S.-S.; Wang, J. H.: Synthesis and Conformational Properties of Poly(N^4-1-phenylethyl-L-asparagines), 1303
Chen, Y.-H. See Yang, C.-P., 2217
Cheng, S.
—; Shanks, R. A.: The Crystallization Kinetics of Filled Poly(ethylene terephthalate), 2149
Chernyakovskii, F. P. See Yampol'skii, Y. P., 85
Cheung, H. M. See Palani Raj, W. R., 499
Cheung, P.
—; Lew, R.; Balke, S. T.; Mourey, T. H.: SEC–Viscometer Detector Systems: II. Resolution Correction and Determination of Interdetector Volume, 1701; See Lew, R., 1685
Chiang, W.
—; Huang, C.: Properties of Copolymer-Type Polyacetal/Ethylene–Propylene–Diene Terpolymer Blends, 105
Chiang, W.-Y.
—; Huang, C.-Y.: The Effect of Surface Modified Polytetrafluoroethylene on Polyacetal/Polytetrafluoroethylene Blends, 577
Cho, D. L.
—; Ekengrin, Ö.: Composite Membranes Formed by Plasma-Polymerized Acrylic Acid for Ultrafiltration of Bleach Effluent, 2125
Cho, H. H. See Kim, H. S., 373
Cho, H.-H. See Moon, C.-K., 185
Cho, K. W. See Kim, K. R., 305
Christiansen, A. W. See Follensbee, R. A., 1481
Chu, C.-H.
—; Berner, B.: Thermal Analysis of Poly(Acrylic Acid)/Poly(Oxyethylene) Blends, 1083
Cimmino, S.
—; Martuscelli, E.; Silvestre, C.; Barbucci, R.; Magnani, A.; Tempesti, F.: Structure–Property Relationships of Polyurethane-Based Materials (PUPA) for Applications in Biomedicine, 631
Cin, C. See Erbil, C., 1643
Codella, P. J. See Stein, J., 2257
Cohen Addad, J. P. See Perez, S., 1621
Cohen, S. H. See Desper, C. R., 1129
Collier, B. J. See Tao, W., 1115
Collier, J. R. See Tao, W., 1115
Cooper, S. L. See Ko, T.-M., 1601; See Yu, X., 1673
Costa-Torro, F. See Gallouedec, F., 823
Cowie, J. M. G.
—; Reilly, A. A. N.: Effect of Steric Restrictions on the Enhancement of Miscibility through Hydrogen Bonding in Blends of Modified Poly(α-methyl styrene) with Polymers Containing Acceptor Sites, 1155
Cozzens, R. F. See Honeychuck, R. V., 1797
Cristobal, J. See Larez, V., 121
Cruz-Ramos, C. A. See Vázquez-Torres, H., 37
Culberson, W. T.
—; Tant, M. R.: A Device for Study of Polymer Crystallization Kinetics via Real-Time Image Analysis of Small Angle Light Scattering, 395

Danner, R. P. See Geveke, D. J., 565
Dasilva, A. See Tidjani, A., 211
de Barros, G. G. See Sales, M. J. A., 1395
Dean, B. D.: High-Temperature Thermoplastic Elastomers via the Grafting Reaction of Polyarylate onto EPDM Rubber, 2013
Defoor, F.
—; Groeninckx, G.; Reynaers, H.; Schouterden, P.; van der Heijden, B.: Thermal and Morphological Characterization of Binary Blends of Fractions of 1-Octene LLDPE, 1839
Delides, C. G.
—; Hayward, D.; Pethrick, R. A.; Vatalis, A. S.: Dielectric and Morphological Investigations of Phase Separation and Cure in Rubber-Modified Epoxy Resins: Comparison between Teta- and DDM-Based Systems, 2037
Demianová, V. See Košíková, B., 1065
Dems, B. C. See Hand, B., 2135
Denchev, Z. Z.
—; Kabaivanov, V. S.: Thermal Behaviour and Adhesive Properties of Some Cyanoacrylate Adhesives with Increased Heat Resistance, 1019
Dencheva, N. V. See Mateva, R. P., 1185
Deopura, B. L. See Mehta, S., 857
Deslandes, Y. See Biro, D. A., 883
Desper, C. R.
—; Cohen, S. H.; King, A. O.: Morphological Effects of Ballistic Impact on Fabrics of Highly Drawn Polyethylene Fibers, 1129
Devi, S. See Asaduzzaman, A. K. M., 981, 1813
Dhillon, J. See Mascia, L., 487
Domard, A. See Romero, M. A., 543
Dorrer, H.-D. See Haberkorn, H., 1551

Dubois, J. See Azhar, A., 2083
Ducháček, V.
—; Kuta, A.; Přibyl, P.: Efficiency of Metal Activators of Accelerated Sulfur Vulcanization, 743

Edge, S.
—; Walker, S.; Feast, W. J.; Pacynko, W. F.: Surface Modification of Polyethylene by Photochemical Grafting with 2-Hydroxyethylmethacrylate, 1075
Ekengrin, Ö. See Cho, D. L., 2125
El-Zohry, M. F. See Abd-Alla, M. M., 323; See Hassan, R. M., 1649
Ennis, B. C. See Pearce, P. J., 1401
Erbil, C.
—; Cin, C.; Soydan, A. B.; Sarac, A. S.: Polyaminocarboxylic Acids–Ce(IV) Redox Systems as an Initiator in Acrylamide Polymerization, 1643
Etters, J. N.: Influence of Polyacrylamide on the Oxidative Decomposition of Sodium Dithionite: Implications for Vat Dyeing Processes, 877
Exsted, B. J.
—; Urban, M. W.: Novel Phthalocyanine/Polyol High-Solids Coatings: Structure–Property Relationships, 2019

Fanta, G. F. See Patil, D. R., 1765
Feast, W. J. See Edge, S., 1075
Fitch, M. W.
—; Koros, W. J.; Nolen, R. L.; Carnes, J. R.: Permeation of Several Gases through Elastomers, with Emphasis on the Deuterium/Hydrogen Pair, 1033
Flaqué, C.
—; Montserrat, S.: Viscoelastic Behaviour of Vinylic Copolymers of Cellulose and Their Glass Transition Temperature by DSC, 595
Follensbee, R. A.
—; Koutsky, J. A.; Christiansen, A. W.; Myers, G. E.; Geimer, R. L.: Development of Dynamic Mechanical Methods to Characterize the Cure State of Phenolic Resole Resins, 1481
Frenkel, R.
—; Safonov, A.; Kirillova, T.: Solubility Coefficients and Fluorinated Rubber Properties (Note), 1127
Fueki, K. See Mitsuoka, T., 1027
Fujii, N. See Nosaka, Y., 1773
Fukatsu, K.: Kinetic and Thermogravimetric Analysis of Thermal Degradation of Polychlal Fiber/Polyester Fiber Blend, 2117
Fukutomi, T. See Ma, G., 1243

Gabrielyan, G. A. See Smirnova, N. V., 833
Gadlinge, P. See Sridhar, S., 797
Gal'Braikh, L. S. See Smirnova, N. V., 833
Gallouedec, F.
—; Costa-Torro, F.; Laupretre, F.; Jasse, B.: Fourier Transform Infrared and ^{13}C-NMR Spectroscopic Characterization of Model Epoxy Networks, 823
Gambiroža-Jukić, M.
—; Gomzi, Z.; Mencer, H. J.: Kinetic Analysis of Bulk Polymerization of Diisocyanate and Polyol, 513
Gándara, J. S. See Abuín, S. P., 533
Ganguly, P. K. See Samajpati, S., 747
Gao, S.
—; Zeng, L.: Surface Modification of Ultrahigh Molecular Weight Polyethylene Fibers by Plasma Treatment. I. Improving Surface Adhesion, 2065
—; Zeng, Y.: Surface Modification of Ultrahigh Molecular Weight Polyethylene Fibers by Plasma Treatment. II. Mechanism of Surface Modification, 2093
Gardner, R. M. See Buchanan, C. M., 1709
Geimer, R. L. See Follensbee, R. A., 1481
Gerard, J. F. See Urbaczewski-Espuche, E., 991
Getmanchuk, I. P. See Lipatov, Y. S., 941
Geveke, D. J.
—; Danner, R. P.: Ternary Phase Equilibria of Polystyrene with a Second Polymer and a Solvent, 565
Gillham, J. K. See Simon, S. L., 461; See Wang, X., 425, 447
Gohil, R. M.
—; Salem, D. R.: Orientation Distribution in the Noncrystalline Regions of Biaxially Drawn Poly(ethylene terephthalate) Film: A Chain-Intrinsic Fluorescence Study, 1989
Gomes, A. S. See Barbosa, R. V., 1411
Gomzi, Z. See Gambiroža-Jukić, M., 513
Goñi, I. See Gurruchaga, M., 1003
Goodall, B. L.
—; Kroenke, W. J.; Minchak, R. J.; Rhodes, L. F.: Novel Catalysts for the Ring-Opening Metathesis Polymerization of

Norbornene-Type Monomers, 607
Grade, H. See Stein, J., 2257
Grady, B. P. See Yu, X., 1673
Graiver, D. See Cha, W.-I., 339
Groeninckx, G. See Defoor, F., 1839
Gunatillake, P. A.
—; Meijs, G. F.; Rizzardo, E.; McCarthy, S. J.; Chatelier, R. C.; Brandwood, A.; Schindhelm, K.: Novel Polyetherurethaneurea Elastomers Based on $\alpha,\alpha,\alpha',\alpha'$-Tetramethyl-*m*-xylenediisocyanate: Synthesis, Characterization, Processability, and Hydrolytic Stability, 199
Guo, Q. See Liu, J., 2111
Gupta, A. K.
—; Srinivasan, K. R.: Melt Rheology and Morphology of PP/SEBS/PC Ternary Blend, 167
Gupta, M. K. See Bhadani, S. N., 1215
Gurruchaga, M.
—; Goñi, I.; Valero, M.; Guzman, G. M.: Study of the Acid Hydrolysis of the Starch Graft Copolymers with Hydroxylic Methacrylates, 1003
Guzman, G. M. See Gurruchaga, M., 1003

Haberkorn, H.
—; Hahn, K.; Breuer, H.; Dorrer, H.-D.; Matthies, P.: On the Neck-Like Deformation in High-Speed Spun Polyamides, 1551
Hadobaš, F. See Petrík, S., 677
Hahn, K. See Haberkorn, H., 1551
Hakki Alma, M. See Hazer, B., 1097
Halasa, A. F. See Chang, C. C., 1589
Hall, D. M.
—; Brougton, R. M.; Wilcox, R. C.: A Study of Polyethylene Acrylic Acid Copolymers. II. Effect of Swelling Method and Ionomerization Tensions on Ion Absorption of PEAA Fibers (Note), 2079
Han, D. K.
—; Jeong, S. Y.; Kim, Y. H.; Min, B. G.: Surface Structure and Inert Surface Characteristics of Perfluorodecanoic Acid-Grafted Polyurethane, 761
Hand, B.
—; Long, T.; Dems, B. C.; Rodriguez, F.: Reactive Ion Etching of Selected Polymers in O_2 and in CF_4/O_2, 2135
Harper, J. F. See Mascia, L., 487
Hassan, R. M.
—; Abd-Alla, M. A.; El-Zohry, M. F.: Alginate Polyelectrolyte Ionotropic Gels. VI. Novel Synthesis of Diketoalginates as Biopolymer Precursors, 1649
Hayward, D. See Delides, C. G., 2037
Hazer, B.
—; Örs, Y.; Hakki Alma, M.: Improvement of Wood Properties by Impregnation with Macromonomeric Initiators (Macroinimers), 1097
Hedrick, D. P. See Parker, A. A., 1999
Hiltner, A. See Shin, E., 245, 269
Hirano, M. See Arai, K., 1973
Hirata, T. See Arai, K., 1973
Hirose, Y. See Shiga, T., 113
Ho, S.-M. See Wang, T.-H., 1057
Honeychuck, R. V.
—; Cozzens, R. F.; Shirk, J. S.; Lindle, J. R.: Thin Films from 96% Quinoline, 1797
Horiuchi, K.
—; Inamori, M.; Morimoto, K.; Okamura, H.; Suemitsu, R.: Encapsulated Cells of Carbaryl and Hippuric Acid-Degrading Bacterium *Pseudomonas cepacia* in Polyacrylamide (Note), 1123
Hotchkiss, J. H. See Bravo, A., 1741
Hroch, L. See Podzimek, Š., 2005
Hseih, D. T.
—; Peiffer, D. G.: Compatibility Behavior in Thermoplastic Polymer Blends Containing Poly(*t*-butylstyrene-*co*-acrylonitrile), 1469
Hsiung, C. M.
—; Cakmak, M.: Effect of Injection-Molding Conditions on the Crystallinity, Orientation Gradients, and Mechanical Properties of Poly(aryl ether ketone). II. Large Dumbbell Parts, 149
—; Cakmak, M.: Effect of Processing Conditions on the Structural Gradients Developed in Injection-Molded Poly(aryl ether ketone) (PAEK) Parts. I. Characterization by Microbeam X-ray Diffraction Technique, 125
Hsu, H.-C. See Chang, F.-C., 2195
Hu, G. H. See Wang, W., 1665
Hu, P. See Qian, B., 1881
Hu, Y. See Huang, J., 1503
Huang, C. See Chiang, W., 105
Huang, C.-Y. See Chiang, W.-Y., 577
Huang, J.
—; Hu, Y.: The Synthesis of Polyethylene Glycol (PEG) with Different Functional Groups at Each End. 2. Synthesis of a Series of Monosubstituted PEG via Polyvinyl Alcohol (PVA) as Support, 1503
Huang, Y.-J.
—; Chen, C.-J.: Curing of Unsaturated Polyester

Resins: Effects of Comonomer Composition. II. High-Temperature Reactions, 1533
Huh, H.
—; Lee, S. H.; Lee, Y. M.; Kim, K. Y.; Kim, J. I.: Preparation and Permeability of Solutes through Acrylic Acid-*g*-Methylcellulose Copolymer Membranes, 917
Hung, A. See Wang, T.-H., 1057
Hung, M.-N. See Kuo, P.-L., 1295
Hyon, S.-H. See Cha, W.-I., 339

Iisaka, K.: Influence of Gelling Conditions on Mechanical Properties of Simultaneous Interpenetrating Polymer Networks from Epoxy and Bismaleimide Resins, 1439
Ikada, Y. See Cha, W.-I., 339; See Uchida, E., 417
Ikeda, R. M.: Shear Yield and Crazing Stresses in Selected Glassy Polymers, 619
Illinger, J. L. See Schneider, N. S., 1419
Inamori, M. See Horiuchi, K., 1123
Iroh, J. O.
—; Bell, J. P.; Scola, D. A.: Mechanism of the Electrocopolymerization of Styrene and N-(3-carboxyphenyl)maleimide onto Graphite Fibers in Aqueous Solution, 93
Ishiaku, U. S. See Nasir, Z. A., 951
Ivanov, G. D. See Kostov, G. K., 735

Jabarin, S. A. See Patkar, M., 1749
Jasse, B. See Gallouedec, F., 823
Jeng, G.-P. C.
—; Kuo, J.-F.; Chen, C.-Y.: An X-ray Investigation of Terminally Carboxyl Oligo (Ethylene Oxide) Monomethyl Ethers-Substituted Side-Chain Liquid Crystalline Polysiloxanes, 781
—; Kuo, J.-F.; Chen, C.-Y.: Synthesis and Mesomorphic Behavior of Terminally Carboxyl Oligo(ethylene oxide) Monomethyl Ethers-Substituted Side Chain Liquid Crystalline Polysiloxanes. I, 697
Jeong, S. Y. See Han, D. K., 761
Jeong, Y.-T. See Lee, D.-H., 1449
Jethmalani, J. See Viswanathan, T., 1477
Jiang, B. See Yan, R. J., 789
Jiang, Q. See Wan, M., 1263
Joseph, K.
—; Thomas, S.; Pavithran, C.; Brahmakumar, M.: Tensile Properties of Short Sisal Fiber-Reinforced Polyethylene Composites, 1731
Jou, J.-H.
—; Liu, C.-H.; Liu, J.-M.; King, J.-S.: Adhesion of Polyimide to Silicon and Polyimide, 1219
Joye, D. D.: Stress–Relaxation in Three-Element and Four-Element Mechanical Models of Viscoelastic Materials, 345
Jung, S.-S. See Chen, Y., 1303

Kabaivanov, V. S. See Denchev, Z. Z., 1019
Kačuráková, M. See Košíková, B., 1065
Kaito, A. See Kyotani, M., 2053
Kaji, K.
—; Abe, Y.; Murai, M.; Nishioka, N.; Kosai, K.: Radiation-Grafting of Acrylic Acid onto Ultrahigh Molecular, High-Strength Polyethylene Fibers, 1427
Kale, L. See Karbashewski, E., 1143
Karaivanova, M. See Stoeva, S., 1859
Karasz, F. E. See Li, S., 753
Karasz, F. E. See Schneider, N. S., 1419
Karbashewski, E.
—; Kale, L.; Rudin, A.; Tchir, W. J.: Effects of Additions of High-Density Polyethylene on the Processability of Linear Low-Density Polyethylene, 1143
Kasemura, T.
—; Oshibe, Y.; Uozumi, H.; Kawai, S.; Yamada, Y.; Ohmura, H.; Yamamoto, T.: Surface Modification of Epoxy Resin with Fluorine-Containing Methacrylic Ester Copolymers, 2207
Kashiwagi, T. See Sakurai, K., 937
Kaur, I.
—; Misra, B. N.; Barsola, R.; Singla, K.: Viscometric Studies of Starch-*g*-Polyacrylamide Composites, 1165
Kawai, S. See Kasemura, T., 2207
Kikuchi, Y. See Kubota, N., 815
Kim, B. K. See Kim, Y. J., 295; See Shin, G. S., 1581
Kim, G. B. See Kim, K. J., 1781
Kim, H. S.
—; Cho, H. H.: Structural Change of Polyacrylonitrile by Iodine Sorption (Note), 373
Kim, J. I. See Huh, H., 917
Kim, K. J.
—; Kim, G. B.: Curie Transition and Piezoelectricity of the Blends of a Ferroelectric VDF/TrFE Copolymer and PMMA, 1781
Kim, K. R.
—; An, J. H.; Cho, K. W.; Park, C. E.: Influence of Microstructure on Dynamic Mechanical Behaviour of Polymeric Composites with Complex Inclusions, 305
Kim, K. Y. See Huh, H., 917
Kim, Y. H. See Han, D. K., 761

Kim, Y. J.
—; Shin, G. S.; Lee, I. T.; Kim, B. K.: Miscible and Immiscible Blends of ABS with PMMA. I. Morphology and Rheology, 295
Kim, Y. J. See Shin, G. S., 1581
King, A. O. See Desper, C. R., 1129
King, J.-S. See Jou, J.-H., 1219
Kiran, E.
—; Zhuang, W.; Sen, Y. L.: Solubility and Demixing of Polyethylene in Supercritical Binary Fluid Mixtures: Carbon Dioxide–Cyclohexane, Carbon Dioxide–Toluene, Carbon Dioxide–Pentane, 895
Kirillova, T. See Frenkel, R., 1127
Ko, T.-H.: Characterization of PAN-Based Nonburning (Nonflammable) Fibers, 707
Ko, T.-M.
—; Cooper, S. L.: Surface Properties and Platelet Adhesion Characteristics of Acrylic Acid and Allylamine Plasma-Treated Polyethylene, 1601
Koike, T.: Relationship Between Melt Viscosity and Dielectric Relaxation Time for a Series of Epoxide Oligomers, 387
Kokko, B. J.: Silicone Acrylates through the Hydrosilation of Polyacryloyloxy Functional Monomers with Copolymers of Dimethyl and Hydrogen Methylsiloxanes, 1309
Kolokuris, I. See Arvanitoyannis, I., 1905
Komarek, R. J. See Buchanan, C. M., 1709
Konáš, M.
—; Kubín, M.: Chromatographic Separation of Azeotropic and Low-Conversion Poly(styrene-*stat*-2-methoxyethyl methacrylate) According to Chemical Composition, 2245
Kondoh, A.
—; Makino, K.; Matsuda, T.: Two-Dimensional Artificial Extracellular Matrix: Bioadhesive Peptide-Immobilized Surface Design, 1983
Kornilov, A. I. See Yampol'skii, Y. P., 85
Koros, W. J. See Fitch, M. W., 1033
Kosai, K. See Kaji, K., 1427
Košíková, B.
—; Demianová, V.; Kačuráková, M.: Sulfur-Free Lignins as Composites of Polypropylene Films, 1065
Kostov, G. K.
—; Atanassov, A. N.: Properties of Cation-Exchange Membranes Prepared by Radiation Grafting of Acrylic Acid onto Tetrafluoroethylene–Ethylene Copolymers, 1269
—; Atanassov, A. N.: Radiation Initiated Grafting of Acrylic Acid onto Tetrafluoroethylene–Ethylene Copolymers, 361
—; Kotov, St. V.; Ivanov, G. D.; Todorova, D.: Study on the Synthesis of Perfluorovinyl-Sulfonic Functional Monomer and Its Copolymerization with Tetrafluoroethylene, 735
Kothandaraman, H.
—; Thangavel, R.: Cyclohexanone Oxime-Blocked Polyisocyanates, 1791
Kotov, St. V. See Kostov, G. K., 735
Koutsky, J. A. See Follensbee, R. A., 1481
Kroenke, W. J. See Goodall, B. L., 607
Kubín, M. See Konáš, M., 2245
Kubo, J.: Inhibition of Deterioration of Rubbers by Hydroaromatics, 925
Kubota, N.
—; Kikuchi, Y.: Preparation and Properties of Macromolecular Complexes Consisting of [2-(Diethylamino)ethyl]dextran Hydrochloride and Potassium Metaphosphate, 815
Kuo, J.-F. See Jeng, G.-P. C., 697, 781
Kuo, P.-L.
—; Hung, M.-N.; Lin, Y.-H.: Functional Polymers for Colloidal Applications. VII. Aggregate Formation of Lipophile-Modified Polyacrylates in Aqueous Solutions, 1295
—; Lin, J.-S.; Wey, B.-S.: Functional Polymers for Colloidal Application. VI. Syntheses and Dispersing Ability of Lipomodified Naphthalenesulfonate Formaldehyde Condensates, 521
Kurauchi, T. See Shiga, T., 113
Kuta, A. See Ducháček, V., 743
Kuznetsov, A. Y.
—; Bagryansky, V. A.; Petrov, A. K.: Adhesion Properties of Glow-Discharge-Plasma-Treated Polyethylene Surface, 1175
Kvitka, N. A. See Lipatov, Y. S., 941
Kyotani, M.
—; Kaito, A.; Nakayama, K.: Structural, Mechanical, and Thermal Properties of Extruded Sheets of a Liquid Crystalline Copolyester, 2053

Lai, J.-Y.
—; Chen, R.-Y.; Lee, K. R.: Pervaporation of Ethanol–Water Mixture by Co^{60} γ-Ray Irradiation-Modified Nylon 4 Membrane, 1849
Lai, J.-Y.
—; Chen, S.-H.; Lee, M.-H.; Shyu, S. S.: Preparation of

Polycarbonate/Metal Salt Gas Separation Membranes, 1513
Larez, V.
—; Cristobal, J.; Perdomo Mendoza, G. A.: Unsaturated Polyesters. V. Polyester from Maleic Anhydride and 1,6-Hexanediol, 121
Laupretre, F. See Gallouedec, F., 823
Lee, B.-L.: Permanently Electrostatic Dissipative (ESD) Property Via Polymer Blending: Rheology and ESD Property of Blends of PETG/ESD Polymer, 587
Lee, C.-B.
—; Lu, M.-L.; Chang, F.-C.: Fracture Toughness of High-Impact Polystyrene Based on Three *J*-Integral Methods, 1867
Lee, D.-H.
—; Jeong, Y.-T.; Soga, K.; Shiono, T.: Propylene Polymerization with $Mg(OEt)_2$/Benzoyl Chloride/$TiCl_4$–Triethyl Aluminum/External Donor Catalyst Systems, 1449
Lee, I. T. See Kim, Y. J., 295
Lee, J.-O. See Moon, C.-K., 185
Lee, K. R. See Lai, J.-Y., 1849
Lee, M. C.
—; Peppas, N. A.: Water Transport in Graphite/Epoxy Composites, 1349
Lee, M.-H. See Lai, J.-Y., 1513
Lee, S. H. See Huh, H., 917
Lee, W.: The Study of Curing Behavior and Thermal Properties for Soybean Oil Fatty Acid-Modified Glycidyl Methacrylate, 61
Lee, Y. M. See Huh, H., 917
Lenka, S. See Nayak, P. L., 1089; See Parija, A., 367; See Samal, U. K., 1315
Leonard, T. M. See Stein, J., 667
Leonas, K.: The Disintegration Rate of Traditional and Chemically Modified Plastic Films in Simulated Fresh- and Sea-Water Environments, 2103
Lesar, M.
—; Žigon, M.; Malavašič, T.: Characterization of Oligomers from 1,4-Butanediol and Toluene Diisocyanate, 805
Leung, B. K.-O.
—; Robinson, G. B.: The Structure of Cross-Linked Poly(glyceryl methacrylate) Hydrogel Networks, 1207
Lew, R.
—; Cheung, P.; Balke, S. T.; Mourey, T. H.: SEC–Viscometer Detector Systems. I. Calibration and Determination of Mark–Houwink Constants, 1685
Lew, R. See Cheung, P., 1701
Li, S.
—; Karasz, F. E.: Preparation and Characterization of Aromatic Polyimides and Related Copolymers, 753
Lin, C.-C. See Shinn, T.-H., 1105; See Shinn, T.-H., 1233
Lin, J.-S. See Kuo, P.-L., 521
Lin, M.-F. See Shu, Y.-C., 1801
Lin, W.
—; Lu, Y.; Zeng, H.: Studies of the Preparation, Structure, and Properties of an Acrylic Chelating Fiber Containing Amidoxime Groups, 45
Lin, Y.-H. See Kuo, P.-L., 1295
Lindle, J. R. See Honeychuck, R. V., 1797
Lipatov, Y. S.
—; Shumsky, V. F.; Rosovitsky, V. F.; Getmanchuk, I. P.; Kvitka, N. A.: Effect of Filler on Rheologic and Thermodynamic Characteristics of Binary Polymeric Mixture Melts, 941
Liu, C.-H. See Jou, J.-H., 1219
Liu, J.
—; Tang, G.; Qu, G.; Zhou, H.; Guo, Q.: Crystallization of Rare Earth Oxide-Filled Polypropylene, 2111
Liu, J.-M. See Jou, J.-H., 1219
Long, T. See Hand, B., 2135
Losada, P. P. See Abuín, S. P., 533
Lu, M.-L. See Lee, C.-B., 1867
Lu, Y. See Lin, W., 45
Luo, Y. See Yan, R. J., 789
Lustoň, J.
—; Pastušáková, V.; Vaśś, F.: Effect of Phase Transitions on the Volatility of UV Absorbers From Polypropylene, 555
Luyt, A. S.: A Differential Scanning Calorimetric Study of the Interaction of Zinc Benzothiazole-2-Thiolate, Sulfur, Stearic Acid, and Zinc Stearate in the Absence and Presence of Polyisoprene, 2177

Ma, G.
—; Fukutomi, T.; Nozaki, S.: The Modification of Porous Chromato-Gel Surface for Liquid Chromatography by Poly(4-vinylpyridine) Microgels, 1243
Magnani, A. See Cimmino, S., 631
Mah, R. W. See Beck, H. N., 2161
Makino, K. See Kondoh, A., 1983
Malavašič, T. See Lesar, M., 805
Mansour, O. Y.: Lignocellulose–Polymer Composite. III, 839
Martin, M. F. See Aharoni, S. M., 223
Martuscelli, E. See Cimmino, S., 631
Mascia, L.
—; Dhillon, J.; Harper, J. F.: Adhesion Enhancement of Rubbery and Ductile

Polyolefin Coatings on Glass Fibers for Epoxy Composites and Effects on Failure Mechanism, 487
Mateva, R. P.
—; Dencheva, N. V.: Flammability and Thermal Behavior of Phosphorus-Containing Polyamide-6, 1185
Mathews, R. J. See Charlesworth, J. M., 653
Matsuda, T. See Kondoh, A., 1983
Matsumoto, K.
—; Xu, P.: Gas Permeation Properties of Hexafluoro Aromatic Polyimides, 1961
Matthies, P. See Haberkorn, H., 1551
McCarthy, S. J. See Gunatillake, P. A., 199
McGill, W. J. See Cassem, A., 377
Medlin, J. C. See Sampson, K. J., 1047
Mehta, S.
—; Deopura, B. L.: Studies on Fiber Formation of Thermotropic Copolyesters, 857
Meijs, G. F. See Gunatillake, P. A., 199
Melamud, L. See Percec, S., 723
Mencer, H. J. See Gambiroža-Jukić, M., 513
Mera, A. E.
—; Walton, T. R.: Analysis of Volatiles Evolved during High-Temperature Treatment of Thermally Stable Polymers. I. Nitrogen-containing Acetylene-Terminated Resin, 867
Merlen, E. See Perez, S., 1621
Mi, X. See Wan, M., 1263
Mikroyannidis, J. A.: Synthesis and Characterization of Cyano-Substituted Maleamic Acids and Maleimides and Their Polymerization to Thermally Stable Laminating Resins, 1915
Miller, J. W., Jr. See Chang, C. C., 1589
Min, B. G. See Han, D. K., 761
Minchak, R. J. See Goodall, B. L., 607
Mishra, V. See Bajpai, U. D. N., 717
Misra, B. N. See Kaur, I., 1165
Mitsuoka, T.
—; Torikai, A.; Fueki, K.: Wavelength Sensitivity of the Photodegradation of Poly(Methyl Methacrylate), 1027
Miyagawa, K. See Ogawa, I., 217
Mohd Ishak, Z. A. See Nasir, Z. A., 951
Montserrat, S. See Flaqué, C., 595
Moon, C.-K.
—; Um, Y.-S.; Lee, J.-O.; Cho, H.-H.; Park, C.-H.: Development of Thermoplastic Prepreg by the Solution-Bond Method (Note), 185
Morbidelli, M. See Canegallo, S., 961
Morimoto, K. See Horiuchi, K., 1123
Mourey, T. H. See Cheung, P., 1701; See Lew, R., 1685
Mulder, M. H. V. See Nijhuis, H. H., 2227
Murai, M. See Kaji, K., 1427
Myers, G. E. See Follensbee, R. A., 1481

Nagai, S. See Agari, Y., 331
Naito, S. See Arai, K., 1973
Nakamura, N.: Study on Ketalization Reaction of Poly(vinyl alcohol) by Ketones. VI. Reaction between Poly(vinyl alcohol) and Cyclic Ketones and Behavior of Poly(vinyl ketal) in Water, 1653
Nakayama, K. See Kyotani, M., 2053
Nasir, Z. A.
—; Ishiaku, U. S.; Mohd Ishak, Z. A.: Determination of Optimum Blending Conditions for Poly(vinyl Chloride)/Epoxidized Natural Rubber Blends, 951
Nayak, P. L.
—; Lenka, S.; Panda, S. K.; Pattnaik, T.: Polymers from Renewable Resources. I. Castor Oil-Based Interpenetrating Polymer Networks: Thermal and Mechanical Properties, 1089; See Parija, A., 367; See Samal, U. K., 1315
Neogi, S. See Sampson, K. J., 1047
Nijhuis, H. H.
—; Mulder, M. H. V.; Smolders, C. A.: Selection of Elastomeric Membranes for the Removal of Volatile Organics from Water, 2227
Nishimura, S. See Arai, K., 1973
Nishioka, N. See Kaji, K., 1427
Nolen, R. L. See Fitch, M. W., 1033
Nosaka, Y.
—; Tanaka, K.; Fujii, N.: Laser-Irradiation Effect on Poly(vinyl alcohol) Films Doped with Nanometer-Sized CdS Particles: Ablation and Third-Harmonic Generation, 1773
Nozaki, S. See Ma, G., 1243
Núñez, L. See Abuín, S. P., 533

O'Brien, K. P. See Aharoni, S. M., 223
O'Donnell, B.
—; White, J. R.: Young's Modulus Variation within Polystyrene Injection Moldings, 189
Ogawa, I.
—; Yamano, H.; Miyagawa, K.: Rate of Swelling of Sodium Polyacrylate, 217

Ohmura, H. See Kasemura, T., 2207
Okada, A. See Shiga, T., 113
Okamura, H. See Horiuchi, K., 1123
Onyiriuka, E. C.: The Effects of High-Energy Radiation on the Surface Chemistry of Polystyrene: A Mechanistic Study, 2187
Örs, Y. See Hazer, B., 1097
Oshibe, Y. See Kasemura, T., 2207
Oyanguren, P. A.
—; Williams, R. J. J.: Cure of Epoxy Novolacs with Aromatic Diamines. I. Vitrification, Gelation, and Reaction Kinetics, 1361
—; Williams, R. J. J.: The Cure of Epoxy Novolacs with Aromatic Diamines. II. Statistical Parameters of the Resulting Networks, 1373

Pacynko, W. F. See Edge, S., 1075
Palani Raj, W. R.
—; Sasthav, M.; Cheung, H. M.: Microcellular Polymeric Materials from Microemulsions: Control of Microstructure and Morphology, 499
Panda, S. K. See Nayak, P. L., 1089
Pandey, S. N. See Reddy, S. S., 73
Parija, A.
—; Nayak, P. L.; Lenka, S.: Synthetic Resins. XIX. Chelation Ion Exchange Properties of 2,4-Dinitrophenyl Hydrazone of Quinacetophenone-Formaldehyde Resin (Note), 367
Park, C. E. See Kim, K. R., 305
Park, C.-H. See Moon, C.-K., 185
Park, J. K.
—; Bontoux, L.: Thermodynamic Modeling of the Sorption of Organic Chemicals in Thermoplastics and Elastomers, 771
Park, T. S. See Shin, G. S., 1581
Parker, A. A.
—; Armstrong, G. H.; Hedrick, D. P.: NMR and Sedimentation Studies of a Polymeric Steric Stabilizer for Alumina, 1999
Pascault, J. P. See Urbaczewski-Espuche, E., 991
Pastušáková, V. See Lustoň, J., 555
Patil, D. R.
—; Fanta, G. F.: Graft Copolymerization of Starch with Methyl Acrylate: An Examination of Reaction Variables, 1765
Patkar, M.
—; Jabarin, S. A.: Effect of Diethylene Glycol (DEG) on the Crystallization Behavior of Poly(ethylene terephthalate) (PET), 1749
Pattnaik, T. See Nayak, P. L., 1089
Pavithran, C. See Joseph, K., 1731
Pearce, P. J.
—; Ennis, B. C.: Aging and Performance of Structural Film Adhesives. IV. A Modified Epoxy with Improved Ambient Temperature Shelf Life, 1401
Peiffer, D. G. See Hseih, D. T., 1469
Pellín, M. P. See Abuín, S. P., 533
Peppas, N. A. See Lee, M. C., 1349
Percec, S.
—; Melamud, L.: The Phase Behavior, Mechanical, and Rheological Characteristics of Blends Containing Nitrile Polymers and Poly(Ethylene-co-Maleic Anhydride), 723
Perdomo Mendoza, G. A. See Larez, V., 121
Perez, S.
—; Merlen, E.; Robert, E.; Cohen Addad, J. P.; Viallat, A.: Characterization of the Surface Layer of Integrally Skinned Polyimide Membranes: Relationship with Their Mechanism of Formation, 1621
Pethrick, R. A. See Delides, C. G., 2037
Petřík, S.
—; Hadobaš, F.; Šimek, L.; Bohdanecký, M.: Sorption of Water Vapor by Hydrophilic Polyurethane-Ureas, 677
Petrov, A. K. See Kuznetsov, A. Y., 1175
Pigeon, M.
—; Rudin, A.: Comparison of Analytical and Preparative TREF Analysis: A Mathematical Approach to Correcting Analytical TREF Data, 685
Pizzi, A. See Scopelitis, E., 351
Plate, N. A. See Yampol'skii, Y. P., 85
Pleizier, G. See Biro, D. A., 883
Podkoscielny, W.
—; Rudz, W.: Linear Polythioesters. XVIII. Products of Interfacial Polycondensation of Bis(4-Mercaptophenyl) Sulfide with Aliphatic and Aromatic Acid Dichlorides, 1523
Podzimek, Š.
—; Hroch, L.: The Use of Liquid Chromatography for the Characterization of Novolac Resins, 2005
Poole, P. W. See Thames, S. F., 1255
Pouyet, J. See Sebaa, M., 1897
Prasad, J. See Bhadani, S. N., 1215
Prausnitz, J. M. See Bae, Y. C., 1193
Přibyl, P. See Ducháček, V., 743
Pulat, E. See Sanli, O., 1

Qian, B.
—; Wu, Z.; Hu, P.; Qin, J.; Wu, C.; Zhao, J.: Studies on Macromolecular Entanglement. II. Modification of Macromolecular Entanglements by Heat Treatment, 1881
Qin, J. See Qian, B., 1881
Qu, G. See Liu, J., 2111

Raghunath Rao, P. See Srinivasulu, B., 1463
Rai, S. See Bajpai, U. D. N., 717
Rakshit, A. K. See Asaduzzaman, A. K. M., 1813
Ratra, M. C. See Sridhar, S., 797
Raval, H. See Asaduzzaman, A. K. M., 981
Reddy, S. S.
—; Bhaduri, S. K.; Pandey, S. N.: Decrystallization of Jute by Cyanoethylation, 73
Reffo, G. See Urbaczewski-Espuche, E., 991
Reilly, A. A. N. See Cowie, J. M. G., 1155
Reiner, R. S. See Yu, X., 1673
Reynaers, H. See Defoor, F., 1839
Rhodes, L. F. See Goodall, B. L., 607
Riddell, S. Z. See Charlesworth, J. M., 653
Rizzardo, E. See Gunatillake, P. A., 199
Robert, E. See Perez, S., 1621
Robinson, C. See Arvanitoyannis, I., 1905
Robinson, G. B. See Leung, B. K.-O., 1207
Rodriguez, F. See Hand, B., 2135
Romero, M. A.
—; Chabert, B.; Domard, A.: IR Spectroscopy Approach for the Study of Interactions Between an Oxidized Aluminium Surface and a Poly(Propylene-g-Acrylic Acid) Film, 543
Rosovitsky, V. F. See Lipatov, Y. S., 941
Ruckenstein, E.
—; Xu, G.: Polystyrene–Gelatin Composites Prepared via a Gel Pathway, 1925; See Xu, G., 1343
Rudin, A. See Karbashewski, E., 1143; See Pigeon, M., 685
Rudz, W. See Podkoscielny, W., 1523

Safonov, A. See Frenkel, R., 1127
Safy El-Din, N. M.: IR Spectroscopic Study on the Thermal Degradation of Plastic Security Cover Sheets of Some Documents, 911
Sakurai, K.
—; Kashiwagi, T.; Takahashi, T.: Crystal Structure of Polynorbornene (Note), 937
Salem, D. R. See Gohil, R. M., 1989
Sales, M. J. A.
—; de Barros, G. G.: Effects of Film Thickness and Inhibitor Concentration on the Sorption and Thermal Polymerization of Acrylic Acid in Low-Density Polyethylene, 1395
Salin, I.
—; Seferis, J. C.: Kinetic Analysis of High-Resolution TGA Variable Heating Rate Data, 847
Samajpati, S.
—; Ganguly, P. K.; Bag, S. C.: Flammability of Blended Jute Nonwovens. I (Note), 747
Samal, U. K.
—; Nayak, P. L.; Lenka, S.: Synthetic Resins. XXI. Ion-Exchange Properties of the Resins Derived from Oximes of 2-Hydroxy Acetophenone-Substituted Benzoic Acid-Formaldehyde, 1315
Sampson, K. J.
—; Neogi, S.; Medlin, J. C.: Unified Modeling Technique for High-Viscosity, Melt-Phase, Condensation Polymer Reactors, 1047
Sanders, E. S., Jr. See Beck, H. N., 2161
Sanli, O.
—; Pulat, E.: Solvent-Assisted Graft Copolymerization of Acrylamide on Poly(ethylene terephthalate) Films Using Benzoyl Peroxide Initiator, 1
Sanli, O. See Bdair, A., 1497
Sarac, A. S. See Erbil, C., 1643
Sasthav, M. See Palani Raj, W. R., 499
Sathaiah, G. See Srinivasulu, B., 1463
Sautereau, H. See Urbaczewski-Espuche, E., 991
Schindhelm, K. See Gunatillake, P. A., 199
Schneider, N. S.
—; Illinger, J. L.; Karasz, F. E.: The Interaction of Water with Polyurethanes Containing Block Copolymer Soft Segments, 1419
Scholsky, K. M.: Fractionation of Low Molecular Weight Polyethylene by High-Pressure Soxhlet Extraction, 1633
Schouterden, P. See Defoor, F., 1839
Schultze, J. D. See Zhou, Z., 13
Scobbo, J. J., Jr.: Effect of Solid-State Curing on the Viscoelastic Properties of Poly(phenylene sulfide), 2169
Scola, D. A. See Iroh, J. O., 93
Scopelitis, E.
—; Pizzi, A.: The Chemistry and Development of Branched PRF Wood Adhesives of

Low Resorcinol Content, 351
Sebaa, M.
—; Servens, C.; Pouyet, J.: Natural and Artificial Weathering of Low-Density Polyethylene (LDPE): Calorimetric Analysis, 1897
Seferis, J. C. See Salin, I., 847
Sen Gupta, S. K. See Bhadani, S. N., 1215
Sen, Y. L. See Kiran, E., 895
Servens, C. See Sebaa, M., 1897
Shanks, R. A. See Cheng, S., 2149
Shantorovich, V. P. See Yampol'skii, Y. P., 85
Shiga, T.
—; Hirose, Y.; Okada, A.; Kurauchi, T.: Bending of Ionic Polymer Gel Caused by Swelling under Sinusoidally Varying Electric Fields, 113
Shim, J. J. See Bae, Y. C., 1193
Shin, E.
—; Hiltner, A.; Baer, E.: The Brittle-to-Ductile Transition in Microlayer Composites, 269
—; Hiltner, A.; Baer, E.: The Damage Zone in Microlayer Composites of Polycarbonate and Styrene–Acrylonitrile, 245
Shin, G. S.
—; Kim, Y. J.; Park, T. S.; Kim, B. K.: Miscible and Immiscible Blends of ABS with PMMA. II. Mechanical and Surface Properties, 1581; See Kim, Y. J., 295
Shinn, T.-H.
—; Chen, J.-Y.; Lin, C.-C.: Studies on Co[poly(ethylene terephthalate-*p*-oxybenzoate)] Thermotropic Copolyester (I): Synthesis and Thermogravimetric Behavior, 1233
—; Lin, C.-C.: Co[Poly(Ethylene Terephthalate-p-Oxybenzoate)] Thermotropic Copolyester. II. X-Ray Diffraction Analysis, 1105
Shiono, T. See Lee, D.-H., 1449
Shirk, J. S. See Honeychuck, R. V., 1797
Shu, Y.-C.
—; Lin, M.-F.: Modification of Nylon-6 with Semirigid Poly(*p*-diphenylmethyl terephthalamide), 1801
Shumsky, V. F. See Lipatov, Y. S., 941
Shyu, S. S. See Lai, J.-Y., 1513
Silverman, B. D.: Statistical Mechanics of "Dual-Mode" Sorption in Polyimides, 1013
Silvestre, C. See Cimmino, S., 631
Šimek, L. See Petřík, S., 677
Simon, S. L.
—; Gillham, J. K.: Cure Kinetics of a Thermosetting Liquid Dicyanate Ester Monomer/High-T_g Polycyanurate Material, 461
Singla, K. See Kaur, I., 1165
Sirdeshmukh, L. See Srinivasulu, B., 1463
Smirnova, N. V.
—; Gabrielyan, G. A.; Gal'Braikh, L. S.: A Study of Graft Polymerization of Methacrylic Acid to Polycaproamide Using a Reversible Redox System Containing Cu^{2+} Ions, 833
Smith, J. F. See Stein, J., 667, 2257
Smolders, C. A. See Nijhuis, H. H., 2227
Soane, D. S. See Bae, Y. C., 1193
Soares, B. G. See Barbosa, R. V., 1411
Soga, K. See Lee, D.-H., 1449
Soydan, A. B. See Erbil, C., 1643
Springer, J. See Zhou, Z., 7, 13
Sridhar, S.
—; Gadlinge, P.; Ratra, M. C.: Laminating Resol Varnishes Made with Crude Multivalent Phenol, 797
Srinivasan, K. R. See Gupta, A. K., 167
Srinivasulu, B.
—; Raghunath Rao, P.; Sundaram, E. V.; Sathaiah, G.; Sirdeshmukh, L.: Reactivity Ratios and Thermal and Dielectric Studies of *n*-Butyl Methacrylate and Methacrylamide Copolymers, 1463
Stein, J.
—; Grade, H.; Williams, E. A.; Codella, P. J.; Smith, J. F.: Network Structure and Properties of Platinum-Catalyzed Addition Cure Release Coatings, 2257
—; Leonard, T. M.; Smith, J. F.: Study of Anionic and Nonionic Silicone Lattices by ^{29}Si NMR Spectroscopy, 667
Stoeva, S.
—; Benev, D.; Karaivanova, M.: Poly(vinyl chloride) Composition. I. Mechanical Properties and Structure of Poly(vinyl chloride) and Fire-Retardant Additives, 1859
Storti, G. See Canegallo, S., 961
Suemitsu, R. See Horiuchi, K., 1123
Sun, J. See Zhong, X., 21
Sundaram, E. V. See Srinivasulu, B., 1463
Sundberg, D. C. See Sundberg, E. J., 1277
Sundberg, E. J.
—; Sundberg, D. C.: Morphology Development for Three-Component Emulsion Polymers: Theory and Experiments, 1277

Takahashi, T. See Sakurai, K., 937
Tanaka, K. See Nosaka, Y., 1773
Tang, G. See Liu, J., 2111
Tant, M. R. See Culberson, W. T., 395

Tao, W.
—; Collier, J. R.; Collier, B. J.: Evaluation of Interfacial Adhesion in Sheath/Core Composite Fibers, 1115
Tchir, W. J. See Karbashewski, E., 1143
Tempesti, F. See Cimmino, S., 631
Thames, S. F.
—; Poole, P. W.: The Modification of Secondary High Molecular Weight Guayule Rubber with Metachloroperoxybenzoic Acid, 1255
Thangavel, R. See Kothandaraman, H., 1791
Thomas, S. See Joseph, K., 1731
Thorstenson, T. A.
—; Urban, M. W.: Surface and Interfacial FTIR Spectroscopic Studies of Latexes. IV. The Effect of Surfactant Structure on the Copolymer-Surfactant Interactions, 1381
—; Urban, M. W.: Surface and Interfacial FTIR Spectroscopic Studies of Latexes: V. The Effects of Copolymer Composition on Surfactant Exudation, 1387
Tidjani, A.
—; Arnaud, R.; Dasilva, A.: Natural and Accelerated Photoaging of Linear Low-Density Polyethylene: Changes of the Elongation at Break, 211
Todorova, D. See Kostov, G. K., 735
Toland, A. See Viswanathan, T., 1477
Torikai, A. See Mitsuoka, T., 1027

Uchida, E.
—; Uyama, Y.; Ikada, Y.: Surface Graft Polymerization of Ionic Monomers onto Poly(ethylene Terephthalate) by UV-Irradiation without Degassing, 417
Ueda, A. See Agari, Y., 331
Um, Y.-S. See Moon, C.-K., 185
Uozumi, H. See Kasemura, T., 2207
Urbaczewski-Espuche, E.
—; Gerard, J. F.; Pascault, J. P.; Reffo, G.; Sautereau, H.: Toughness Improvement of an Epoxy/Anhydride Matrix. Influence on Processing and Fatigue Properties of Unidirectional Glass-Fiber Composites, 991
Urban, M. W. See Exsted, B. J., 2019; See Thorstenson, T. A., 1381, 1387
Usmani, A. See Azhar, A., 2083
Uyama, Y. See Uchida, E., 417

Valero, M. See Gurruchaga, M., 1003
van der Does, L. See Chen, G., 25
van der Heijden, B. See Defoor, F., 1839
Vaśś, F. See Lustoň, J., 555
Vatalis, A. S. See Delides, C. G., 2037
Vázquez-Torres, H.
—; Canché-Escamilla, G.; Cruz-Ramos, C. A.: Coconut Husk Lignin. III. Reactivity of Alkaline Extracts with Formaldehyde, 37; See Vera-Pacheco, M., 53
Vera-Pacheco, M.
—; Vázquez-Torres, H.; Canché-Escamilla, G.: Preparation and Characterization of Hydrogels Obtained by Grafting of Acrylonitrile onto Cassava Starch by Ceric Ion Initiation, 53
Viallat, A. See Perez, S., 1621
Viswanathan, T.
—; Jethmalani, J.; Toland, A.: Homo- and Copolymers of Furan–Maleic Anhydride and Furan–Dimethylacetylene Dicarboxylate Adducts via Aqueous Ring-Opening Metathesis Polymerization, 1477

Walker, S. See Edge, S., 1075
Walton, T. R. See Mera, A. E., 867
Wan, M.
—; Yang, J.; Jiang, Q.; Mi, X.; Ye, P.: Nonlinear Optical Properties of Solution of the Substituted Polyaniline, 1263
Wang, J. H. See Chen, Y., 1303
Wang, T.-H.
—; Ho, S.-M.; Chen, K.-M.; Hung, A.: Temperature Effect on PI/Cu Interface, 1057
Wang, W.
—; Hu, G. H.: Photopolymerization of Methyl Methacrylate Using Benzoin Isopropyl Ether as Photoinitiator: Effect of Thiophenol Compounds, 1665
Wang, X.
—; Gillham, J. K.: T_g-Temperature Property (T_gTP) Diagram for Thermosetting Systems: Anomalous Behavior of Physical Properties vs. Extent of Cure, 425
—; Gillham, J. K.: Physical Aging in the Glassy State of a Thermosetting System vs. Extent of Cure, 447
Wey, B.-S. See Kuo, P.-L., 521
White, J. R. See O'Donnell, B., 189
Wilcox, R. C. See Hall, D. M., 2079
Williams, E. A. See Stein, J., 2257
Williams, R. J. J. See Oyanguren, P. A., 1361
Williams, R. J. J. See Oyanguren, P. A., 1373
Wódka, T.: Studies on the Synthesis of Block

Copolymers of Acrylonitrile and Ethylene Oxide, 407
Wu, C. See Qian, B., 1881
Wu, Z. See Qian, B., 1881

Xu, G.
—; Ruckenstein, E.: Emulsion Pathway for Gelatin Cross-Linking, 1343; See Ruckenstein, E., 1925
Xu, P. See Matsumoto, K., 1961
Xue, Z.
—; Bi, X.-T.: Electrochemically Oxidative Polymerization of Aniline in Aromatic Copolyamide Matrix, 2073

Yamada, Y. See Kasemura, T., 2207
Yamamoto, T. See Kasemura, T., 2207
Yamano, H. See Ogawa, I., 217
Yampol'skii, Y. P.
—; Shantorovich, V. P.; Chernyakovskii, F. P.; Kornilov, A. I.; Plate, N. A.: Estimation of Free Volume in Poly(trimethylsilyl propyne) by Positron Annihilation and Electrochromism Methods, 85
Yan, R. J.
—; Luo, Y.; Jiang, B.: The Effect of Radiation-Induced Cross-Linking on the Relaxation of Taut Tie Molecules during Annealing of Drawn LDPE, 789
Yang, C.-P.
—; Chen, Y.-H.: Emulsification and Electrodeposition of Mixtures of Cationic Resins. I. Cationic Resin and Nonionic Cross-Linker, 2217
Yang, J. See Wan, M., 1263
Ye, P. See Wan, M., 1263
Yu, L. See Zhong, X., 21
Yu, X.
—; Grady, B. P.; Reiner, R. S.; Cooper, S. L.: Properties of Polyamic Acid Ionomers, 1673

Zeng, H. See Lin, W., 45
Zeng, L. See Gao, S., 2065
Zeng, Y. See Gao, S., 2093
Zeronian, S. H. See Buschle-Diller, G., 1319
Zhang, Y. See Zhong, X., 21
Zhao, J. See Qian, B., 1881
Zhong, X.
—; Yu, L.; Sun, J.; Zhang, Y.: XPS Studies on Radiation-Induced Structural Changes in the Copolymer of Tetrafluoroethylene and Ethylene, 21
Zhou, H. See Liu, J., 2111
Zhou, Z.
—; Schultze, J. D.; Springer, J.: Gas Sorption in Poly(butylene terephthalate). II. Influence of Crystallinity and Molecular Orientation, 13
—; Springer, J.: Gas Sorption in Poly(butylene terephthalate). I. Influence of Gas Molecules, 7
Zhuang, P.
—; Butterfield, D. A.: Optimization of Covalently Coupling Enzymes to Polymeric Membranes: EPR Studies of Papain, 1329
Zhuang, W. See Kiran, E., 895
Žigon, M. See Lesar, M., 805